

# SENSITIVE


**66702.59.066**

Comando elettronico remoto per montaggio su piano da appoggio, abbinabile ad un dispositivo da appoggio o parete o a soffitto - finitura PVD Acciaio Spazzolato

Regolazione di temperatura e portata tramite rubinetti d'arresto inclusi.  
Comando di apertura ad infrarossi 'ON-OFF' manuale, dotato di chiusura di sicurezza a 30".



PVD Acciaio Spazzolato



## CARATTERISTICHE

Materiale

**Ottone**


Installazione


**Da appoggio**

Tipologia di comando

**Comando elettronico**

## DISEGNO TECNICO





## **SENSITIVE**

**66702.59.066**

Comando elettronico remoto per montaggio su piano da appoggio, abbinabile ad un dispositivo da appoggio o parete o a soffitto - finitura PVD Acciaio Spazzolato

### **FINITURE DISPONIBILI**

---



**59.066**

PVD Acciaio Spazzolato



**01.014**

finitura Bianco opaco



**01.093**

finitura Nero opaco



**21.018**

finitura Cromo



**47.083**

finitura Groove Bronze



**58.061**

finitura PVD Copper Bronze



**58.063**

finitura PVD Gun Metal



**59.064**

finitura PVD Brushed Gun Metal



**59.067**

finitura PVD Brushed Copper Bronze



**59.097**

finitura PVD Brushed Gold



**59.098**

finitura PVD Brushed Pale Gold



**61.020**

finitura PVD Glossy Gold

 **M0.070**  
finitura Titanium Satin

 **M0.071**  
finitura Gold Satin

 **M0.072**  
finitura Copper Satin

 **M0.075**  
finitura Copper Glossy

 **M0.077**  
finitura Carbon Satin