

# SENSITIVE


## 66702.59.066

Commande électronique pour montage sur plan, compatible avec un dispositif à poser, mural ou au plafond - finition PVD Brushed steel

Réglage de la température et du débit avec robinets d'arrêt (inclus).  
Commande d'ouverture à infrarouge ON-OFF manuelle, arrêt programmé à 30"



PVD Brushed steel



### CARACTÉRISTIQUES

Matériau

**Laiton**


Installation


**À poser**

Type de commande

**Commande électronique**

### DESSIN TECHNIQUE





**SENSITIVE**

**66702.59.066**

Commande électronique pour montage sur plan, compatible avec un dispositif à poser, mural ou au plafond - finition PVD Brushed steel

**FINITIONS DISPONIBLES**

---



**59.066**

PVD Brushed steel



**01.014**

finition Matt White



**01.093**

finition Matt Black



**21.018**

finition Chrome



**47.083**

finition Groove Bronze



**58.061**

finition PVD Copper Bronze



**58.063**

finition PVD Gun Metal



**59.064**

finition PVD Brushed Gun Metal



**59.067**

finition PVD Brushed Copper Bronze



**59.097**

finition PVD Brushed Gold



**59.098**

finition PVD Brushed Pale Gold



**61.020**

finition PVD Glossy Gold

 **MO.070**  
finition Titanium Satin

 **MO.071**  
finition Gold Satin

 **MO.072**  
finition Copper Satin

 **MO.075**  
finition Copper Glossy

 **MO.077**  
finition Carbon Satin